
EVD2-1.2V/1742


Rugged Omni Antenna



Key Features

Designed for Security Applications Suitable for Multiple Applications Suitable for Mobile Applications Rugged Ground Plane Independent






Azimuth Pattern

Elevation Pattern

ELECTRICAL



ELECTRICAL	
Frequency	1.15 - 1.275 GHz
Gain	2 dBi Nom
Polarisation	Linear (Vertical)
Beamwidth	360° (Az) x 70° (El) Approx
Cross Polar	20 dB Typ
VSWR	2:1 Typ, 2.5:1 Max
Power Rating	25 W
Front to Back	N/A
MECHANICAL	
Standard Finish	Matt Black
Mass	210 g (7.5 oz)
Temperature	-20° to +50°C
Wind Loading	560 g 91.03 lbs) @ 100mph
MOUNTING OPTIONS	
Kits Available	N/A

ADDITIONAL NOTES

Issued 080410

Chelton Limited has a policy of continuous development and stress that the information provided is a guide only and does not constitute an offer or contract or part thereof. Whilst every effort is made to ensure the accuracy of the information contained in this brochure, no responsibility can be accepted for any errors or omissions.

The copyright of antenna designs and images is copyright protected and owned by Chelton Limited. ©Chelton Limited

For further information please contact: Chelton Limited, Lambda House, Cheveley, Newmarket, Suffolk CB8 9RG, UK. T: +44 (0)1638 732 177 E: newmarket.sales@chelton.com W: www.chelton.com/microwave